

Please type a plus sign(+) in this box 

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**UTILITY****PATENT APPLICATION****TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	476-1471	Total Pages	
First Named Inventor or Application Identifier			
Phillips			
Express Mail Label No.		EM 394 992 314 US	

**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents

ADDRESS TO: Assistant Commissioner for Patents  
Box Patent Application  
Washington, D.C. 20231

1.  Fee Transmittal Form
2.  Specification [Total Pages 11]  
(preferred arrangement set forth below)  
 Descriptive title of the invention  
 Cross Reference to Related Applications  
 Statement Regarding Fed sponsored R & D  
 Reference to Microfiche Appendix  
 Background of the Invention  
 Brief Summary of the Invention  
 Brief Description of the Drawings (if filed)  
 Detailed Description  
 Claim(s)  
 Abstract of the Disclosure
3.  Drawing(s) (35 USC 113) [Total Sheets 4]
4. Oath or Declaration [Total Sheets \_\_\_\_\_]  
 Newly executed (original or copy)  
 Copy from a prior application (37 CFR 1.63(d))  
 for continuation /divisional with Box 17 completed  
 [Note Box 5 below]  
 I.  **DELETION OF INVENTOR(S)**  
 Signed statement attached deleting  
 inventor(s) named in the prior application,  
 see 37 CFR 1.63(d)(2) and 1.33(b).
5.  Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

**ACCOMPANYING APPLICATION PARTS**

8. Assignment Papers (cover sheet & document(s))  
 9.  37 CFR 3.73(b) Statement  Power of Attorney  
 (when there is an assignee)  
 10.  English Translation Document (if applicable)  
 11. Information Disclosure Copies of IDS  
 Statement (IDS)/PTO-1499 Citations  
 12.  Preliminary Amendment  
 13.  Return Receipt Postcard (MPEP 503)  
 (should be specifically itemized)  
 14.  Small Entity  Statement filed in prior application,  
 Statement(s) Status still proper and desired  
 15. Certified Copy of Priority Document(s)  
 (if foreign priority is claimed)  
 16.  Other: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

 Continuation     Divisional     Continuation-in-part (CIP) of prior application No.: /**18. CORRESPONDENCE ADDRESS**

<input type="checkbox"/> Customer Number or Bar Code Label		Insert Customer No. or Attach bar code label here		or <input checked="" type="checkbox"/> Correspondence address below	
NAME	William M. Lee, Jr.				
	LEE, MANN, SMITH, McWILLIAMS, SWEENEY & OHLSON				
ADDRESS	P.O. BOX 2786				
	Chicago	STATE	Illinois	ZIP CODE	60690-2786
CITY	USA	Telephone	312-368-6620	FAX	312-368-0034

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**FEE TRANSMITTAL**

*Note: Effective October 1, 1997.  
Patent fees are subject to annual revision.*

TOTAL AMOUNT OF PAYMENT (\$)  
**790***Complete if Known*

Application Number	
Filing Date	
First Named Inventor	Phillips
Group Art Unit	
Examiner Name	
Attorney Docket Number	476-1471

**METHOD OF PAYMENT** (check one)

1.  The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number  
**12-0913**  
Deposit Account Name  
**Lee, Mann, Smith**

Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17       Charge the Issue Fee Set in 37 CFR 1.18 at the Mailing of the Notice of Allowance

2.  Payment Enclosed:

Check     Money Order     Other

**FEE CALCULATION****1. FILING FEE**

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
101	790	201 395 Utility filing fee	<b>790</b>
106	330	206 165 Design filing fee	
107	540	207 270 Plant filing fee	
108	790	208 395 Reissue filing fee	
114	150	214 75 Provisional filing fee	
<b>SUBTOTAL (1) (\$)</b>			

**3. ADDITIONAL FEES**

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105	130	205 65 Surcharge - late filing fee or oath	
127	50	227 25 Surcharge - late provisional filing fee or cover sheet	
139	130	139 130 Non-English specification	
147	2,520	147 2,520 For filing a request for reexamination	
112	920*	112 920* Requesting publication of SIR prior to Examiner action	
113	1,840*	113 1,840* Requesting publication of SIR after Examiner action	
115	110	215 55 Extension for reply within first month	
116	400	216 200 Extension for reply within second month	
117	950	217 475 Extension for reply within third month	
118	1,510	218 755 Extension for reply within fourth month	
128	2,060	228 1,030 Extension for reply within fifth month	
119	310	219 155 Notice of Appeal	
120	310	220 155 Filing a brief in support of an appeal	
121	270	221 135 Request for oral hearing	
138	1,510	138 1,510 Petition to institute a public use proceeding	
140	110	240 55 Petition to revive - unavoidable	
141	1,320	241 660 Petition to revive - unintentional	
142	1,320	242 660 Utility issue fee (or reissue)	
143	450	243 225 Design issue fee	
144	670	244 335 Plant issue fee	
122	130	122 130 Petitions to the Commissioner	
123	50	123 50 Petitions related to provisional applications	
126	240	126 240 Submission of Information Disclosure Stmt	
581	40	581 40 Recording each patent assignment per property (times number of properties)	
146	790	246 395 Filing a submission after final rejection (37 CFR 1.129(a))	
149	790	249 395 For each additional invention to be examined (37 CFR 1.129(b))	
Other fee (specify) _____			
Other fee (specify) _____			
* Reduced by Basic Filing Fee Paid			<b>SUBTOTAL (3) (\$)</b> <b>0</b>

**SUBMITTED BY**

Typed or Printed Name	William M. Lee, Jr.	Complete (if applicable)
Signature	<i>William M. Lee, Jr.</i>	Reg. Number <b>26,395</b>
	Date <b>12/23/97</b>	Deposit Account User ID

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR LETTERS PATENT

BY

**John Alexander Phillips**  
235 Barn Mead  
Harlow, Essex, CM18 6ST  
United Kingdom

FOR

**MOBILE COMMUNICATIONS NETWORK**

J A Phillips 6 USA

## MOBILE COMMUNICATIONS NETWORK

This invention relates to mobile communications networks and in particular to arrangements and methods for controlling communication between mobile terminals and a base station in such networks.

### **5 BACKGROUND OF THE INVENTION**

A number of standard mobile communications systems are currently under development. For example, in Europe the GSM900 system operating at 900 MHz is gaining wide acceptance while in North America the near equivalent PCS1900 system is a current standard 10 operating at 1900MHz. Within each of these systems a set of standard operating procedures has evolved, and all equipment supplied for use in such a system must conform to the corresponding standard. This provides a significant advantage to the system operator as he can obtain equipment from a number of suppliers and be confident that it 15 will be fully compatible. For example, the operator may purchase handsets from one manufacturer, base stations from another and mobile switching centres from a third. Although this provides the operator in that he can force down the costs of the purchased equipment, there are attendant disadvantages.

20

Firstly, the key protocols defining the standard must be conceived at the original installation of the system. If these protocols have not been chosen with sufficient care and forethought, adherence to the standard can preclude the adoption of more advantageous techniques that may 25 subsequently become available. Secondly, although the key protocols may be defined, there is often considerable scope for the provision of proprietary services that can provide added value to a particular

- manufacturer's product. This provides the operator with the problem of supporting different equipment designs. In practice a particular operator supports only one service mix and users of equipment, e.g. handsets, capable of providing other services may well find that those
- 5 services are not supported. Thirdly, there is increasing concern about the proliferation of base station installations that are required to service a variety of mobile communications systems that are operating in the same geographical region and there is thus a need to minimise the number of such installations.
- 10
- ### SUMMARY OF THE INVENTION
- The object of the invention is to minimise or to overcome these disadvantages.
- 15 It is a further object of the invention to provide an improved mobile communications system.
- It is a further object of the invention to provide a mobile communications system that can service mobile terminals having
- 20 different operating protocols.
- According to one aspect of the invention there is provided a mobile communications network for serving a plurality of mobile terminals each capable of being coupled to the network, wherein the network
- 25 incorporates means for determining for each mobile terminal accessing the network an operating protocol employed by that terminal, and means for retrieving from a store a corresponding a corresponding operating protocol whereby to provide control instructions for the network so as to enable communication with that terminal.
- 30 According to another aspect of the invention there is provided a mobile communications network adapted to service mobile terminals having different operating protocols, the network including a plurality of multimode base stations each capable of operating selectively in at
- 35 least some of said operating protocols and each having means for interrogating a said mobile terminal so as to determine that terminal's

operating protocol, a store containing sets of operating instructions one for each said protocol, base station control means for controlling the operation of each said base station, and means responsive to the determination of the operating protocol of a said mobile terminal for  
5 downloading the corresponding set of operating instructions from the store to the control means whereby to operate the base station serving that mobile terminal in a mode consistent with that operating protocol.

According to a further aspect of the invention there is provided a  
10 method of operating a mobile communications network so as to service a plurality of terminals each capable of being coupled to the network, wherein the method includes storing a plurality of operating protocols for said terminals, determining for each terminal accessing the network an operating protocol employed by that terminal, and retrieving from the  
15 stored protocols a corresponding operating protocol whereby to provide control instructions for that terminal.

By providing access to software packages appropriate to the terminals communicating with the system, a variety of terminal operating  
20 protocols can be accommodated. This is of particular advantage in a large international system as terminals that have been constructed to comply with individual country requirements and/or with a particular service mix can roam throughout the system and can receive a full or substantially full range of services in all parts of the system. This also  
25 facilitates the development and introduction of new terminals which can operate in parallel with existing devices.

In a development of the network, the operating packages provided in the system may be updated to take account of developments in mobile  
30 terminal construction and the introduction of enhanced protocols and services.

In another development, the mobile terminals may be adapted to download operating software from the network over the air interface to  
35 provide those terminals with particular operating characteristics.

In a further development of the network, both the network and the terminals may be provided with software packages which allow the particular operating protocol to be negotiated between the network and the terminal at the commencement of communication therebetween.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

An embodiment of the invention will now be described with reference to the accompanying drawings in which:

5

Figure 1 is a schematic diagram of a mobile communications system;

10

Figure 2 illustrates the provision of software to a multimode base station in the system of figure 1;

15

Figure 3 is a flow chart illustrating the set-up of a mobile terminal originated call in the network of figure 1; and

### **DESCRIPTION OF PREFERRED EMBODIMENT**

Referring to figure 1, the mobile communications system includes a

20

plurality of multimode base stations 11 each of which defines a respective cell 12 within which communications may be established with mobile terminals 13 currently located within that cell. Groups of base stations 11 are controlled via a base station controller 14 from a mobile switching centre 15. The mobile switching centre has access to a home location register 17 and, via a communications path 18, to one or more other mobile switching centres (not shown) and to one or more fixed networks (not shown). Advantageously, traffic on the path 18 may be carried in a broad band format such as asynchronous transfer mode (ATM) and at a rate appropriate to the particular protocol to which that traffic relates.

Information on the mobile terminals is stored in the home location register 17 which may be disposed at a location remote from the mobile switching centre. Information relating to those mobile terminals currently in the service area of the mobile switching centre is retrieved from the home location register and stored together with current

DEPARTMENT OF TRADE AND INDUSTRY  
PATENT OFFICE

location information in a visitors location register 19. Advantageously, the visitors location register forms part of the mobile switching centre.

- In the network of figure 1, the base stations operate at appropriate
- 5 frequencies to provide a communications service and also provide a beacon function for those mobile communications protocols that require such a function. For example, the system may provide access to mobile terminals using the GSM 900, DECT, and DCS 1800 protocols.
- 10 It will be understood that this group of protocols is by no means exclusive and that other existing or future protocols can be accommodated.

- Figure 2 shows the general construction of a base station for use in the system of figure 1. The station comprises a soft radio unit 21 coupled
- 15 to an antenna 22 and which functions as a slave in both transmit and receive modes under the control of a selected one of a number of protocol dedicated control units 23.

- For a mobile terminal initiated call, the terminal will emit a request for
- 20 service on its frequency band according to its built-in operating protocol. This request is used by the network to determine the terminal's protocol, the general procedure being illustrated in figure 3.

- When a base station receives a request for service from a mobile
- 25 terminal in its service area, it relays the request to the base station controller which determines, from the frequency band and the format of the request signal, which protocol is being employed by the requesting mobile terminal. This determination may be effected by the use of a soft radio receiver that is programmed to recognise the presence of
- 30 radio frequency transmissions from a mobile terminal within a frequency band extending over all the supported protocols. Measurement of the particular frequency employed by the mobile terminal establishes the required protocol for communication with that terminal. If a number of protocols are permitted within a given
- 35 frequency band, then a further test will be required to identify the

protocol uniquely. If the frequency is not recognised, then the call request is aborted.

- When the protocol has been identified, the corresponding software
- 5 package is retrieved from the store and downloaded into the base station controller so as to operate the base station controller according to the desired protocol. At the same time, the appropriate dedicated control unit in the base station is enabled under control from the base station controller. The details of the mobile terminal are then checked
- 10 to ensure that the terminal is registered and the call is set up according to the desired protocol.

- Figure 4 shows the process sequence for setting up a call to a mobile terminal. The details of that terminal's operating protocol and last
- 15 reported location are retrieved from the home location register. If the terminal is registered, the appropriate mobile switching centre then interrogates its visitors location register to determine a paging pattern for the mobile terminal so as to determine which base station controller(s) need to be provided with the appropriate software package
- 20 to service the mobile terminal via a base station. If the terminal is not registered then the call attempt is refused.

- Messaging within the wired portion of the mobile network to accommodate the various message and signalling protocols
- 25 appropriate to each operating protocol is effected by encapsulating the traffic in packets each containing a payload and a header whereby routing and handling of the packet can be determined. In an alternative embodiment, this traffic can be converted into a common transmission format at interfaces (not shown) provided at appropriate ingress and egress points to the mobile network. This common format may be employed to provide e.g. Internet services to mobile terminals served by the network.

- In a further embodiment, some or all of the mobile terminals may be
- 35 programmable via software downloaded over the air interface from the mobile network via the base station in response to a request from a

terminal. The downloading can be performed at call set-up or during the call. This technique can be used to provide a terminal with functionality that conforms to one of a set of preferred protocols.

- 5 It will be understood that the above description of a preferred embodiment is given by way of example only and that various modifications may be made by those skilled in the art without departing from the spirit and scope of the invention.

**CLAIMS:-**

- 5    1. A mobile communications network for serving a plurality of mobile terminals each capable of being coupled to the network, wherein the network incorporates means for determining for each mobile terminal accessing the network an operating protocol employed by that terminal, and means for retrieving from a store a corresponding operating protocol whereby to provide control instructions for the network so as to enable communication with that terminal.
- 10    2. A mobile communications network adapted to service mobile terminals having different operating protocols, the network including a plurality of multimode base stations each capable of operating selectively in at least some of said operating protocols and each having means for interrogating a said mobile terminal so as to determine that terminal's operating protocol, a store containing sets of operating instructions one for each said protocol, base station control means for controlling the operation of each said base station, and means responsive to the determination of the operating protocol of a said mobile terminal for downloading the corresponding set of operating instructions from the store to the control means whereby to operate the base station serving that mobile terminal in a mode consistent with that operating protocol.
- 15    3. A network as claimed in claim 2, wherein each said base station comprises a soft radio unit for providing radio communication to said terminals, operating means, one for each said operating protocol, and means for selectively enabling a said one of said operating means so as to operate the base station in conformity with that operating protocol.
- 20    4. A network as claimed in claim 3, wherein at least some of said mobile terminals have means for downloading of operating instructions from the network.
- 25
- 30
- 35

5. A method of operating a mobile communications network so as to service a plurality of terminals each capable of being coupled to the network, wherein the method includes storing a plurality of operating protocols for said terminals, determining for each terminal accessing  
5 the network an operating protocol employed by that terminal, and retrieving from the stored protocols a corresponding operating protocol whereby to provide control instructions for that terminal
6. A method as claimed in claim 5, wherein the operating protocol  
10 employed by a mobile terminal requesting service is determined from the frequency of radio transmissions from that terminal.
7. A method as claimed in claim 6, and including downloading of  
15 operating software from the network to a said terminal.
8. A method as claimed in claim 7, wherein a said operating protocol is determined by negotiation between the network and a said mobile terminal.

Figure 1  
to Accompany Abstract

ABSTRACT

MOBILE COMMUNICATIONS NETWORK

A mobile communications network is adapted to service mobile terminals having different operating protocols. The network includes multimode base stations each capable of operating selectively in at least some of said operating protocols and each having means for interrogating a mobile terminal so as to determine that terminal's operating protocol. A store contains sets of operating instructions, one for each protocol, which are downloaded to a base station controller so as to operate the base station serving that mobile terminal in a mode consistent with the terminal's operating protocol.

5  
10

DEPARTMENT OF THE NAVY  
PATENT AND TRADEMARK OFFICE

1/4

Fig.1





Fig.2

# Call Set-up: Mobile originated

3/4





Fig.3

## Call set-up: Mobile terminated



4/4

Fig.4

Please acknowledge  
receipt of the  
enclosed:

New Patent Application of:  
**Phillips**

**MOBILE COMMUNICATIONS NETWORK**

1. Fee Transmittal Letter
2. Utility Patent Application Transmittal
3. Specification and Title Page
4. 4 Sheets of Drawings
5. Check No. 29159 for \$790.00
6. Certificate of EXPRESS MAIL.
7. Return Post Card.

DUE DATE (If Any): New Application

DATE SENT: December 23, 1997

jac

To follow:

1. Declaration and Power of Attorney (due 2/23/98)

"Express Mail" mailing label number

EM 394 992 314 US


Date of deposit: December 23, 1997

*I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.*

Mattie M. Williams  
(Typed or printed name of person mailing paper or fee)

Mattie M. Williams  
(Signature of person mailing paper or fee)

United States Patent & Trademark Office  
Office of Initial Patent Examination – Scanning Division



Application deficiencies found during scanning:

1. Application papers are not suitable for scanning and are not in compliance with 37 CFR 1.52 because:
  - All sheets must be the same size and either A4 (21 cm x 29.7 cm) or 8-1/2" x 11".  
Pages \_\_\_\_\_ do not meet these requirements.
  - Papers are not flexible, strong, smooth, non-shiny, durable, and white.
  - Papers are not typewritten or mechanically printed in permanent ink on one side.
  - Papers contain improper margins. Each sheet must have a left margin of at least 2.5 cm (1") and top, bottom and right margins of at least 2.0 cm (3/4").
  - Papers contain hand lettering.
2. Drawings are not in compliance and were not scanned because:
  - The drawings or copy of drawings are not suitable for electronic reproduction.
  - All drawings sheets are not the same size. Pages must be either A4 (21 cm x 29.7 cm) or 8-1/2" x 11".
  - Each sheet must include a top and left margin of at least 2.5 cm (1"), a right margin at least 1.5 cm (9/16") and a bottom margin of at least 1.0 cm (3/8").
3. Page(s) \_\_\_\_\_ are not of sufficient clarity, contrast and quality for electronic reproduction.
4. Page(s) \_\_\_\_\_ are missing.
5. OTHER: NO DECLARATION